



EDINA BUILDING SAFETY POLICY/INFORMATION <sub>1</sub>			
One Inch Water Service Line		MSBC1300.0110 Subp.13 (see SP-024-B)	
subject		code reference	
Inspections Department		approval 	
department		approval	
SP-024-B <sub>2</sub>	08/02/2017	6/17/11	1 of 1
policy number	revision date	effective date	page number
1. All Building Safety sheets adopted by Fire Department and Inspections Department. 2. Sheet numbers with B suffix developed by Inspections Dept. Sheet numbers with F suffix developed by Fire Dept.			



**Purpose:** Establish requirement for use of one inch water service line for single family dwellings as well as exceptions to the requirement for the use of a one inch water service line.

**Scope:** New, existing and altered single family dwellings.

All single family dwellings connected to or connecting to City water are required to use a one inch water service line from the curb stop to the dwelling.

**Exceptions:**

1. Properly installed water service lines in existing, unaltered dwellings are not required to be one inch.
2. Water service line size for altered dwellings in which the alterations include an increase in fixture units must increase the water service line to one inch when 2006 IPC Section E201 requires a water service line of one inch or more.
3. New dwellings may install water service lines greater than one inch from the curb stop to the dwelling when the size calculated by 2006 IPC Section E201 requires a water service line of one inch or more.